

THE PERSONAL PROPERTY OF THE P

SECTION OF SECURITY OF SECURIT

entrante ante ante ante ante entrante protection of the protection of the protection of the contraction of t

OTTC FILE COPY



OFFICE OF NAVAL RESEARCH

Contract N00014-84-G-0201

Task No. 0051-865

SELECTE OCT 1 4 1987

Technical Report #16

1,8-Naphthalene Linked Cofacial Binuclear Phthalocyanines

Вy

Prof. Clifford C. Leznoff, Herman Lam, Dr. Andrew Nevin, Prof. Nagao Kobayashi, Dr. Pavel Janda and Prof. A.B.P. Lever

in

Angewandte Chemie

York University
Department of Chemistry
4700 Keele St., North York
Ontario, Canada M3J 1P3

Reproduction in whole, or in part, is permitted for any purpose of the United States Government

*This document has been approved for public release and sale; its distribution is unlimited

*This statement should also appear in Item 10 of the Document Control Data-DD form 1473. Copies of the form available from cognizant contract administrator

-					,
SECURITY CLASSIFICATION OF THIS PAGE			11/1/- /-	· · · · · · · · · · · · · · · · · · ·	
	REPORT DOCU	MENTATION	PAGE		
1a. REPORT SECURITY CLASSIFICATION		16 RESTRICTIVE	MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION / AVAILABILITY OF REPORT			
Unclassified 2b DECLASSIFICATION / DOWNGRADING SC	HEDULE	As it appears on the report			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING	ORGANIZATION R	EPORT NUMBER	R(S)
Report # 16					
6a NAME OF PERFORMING ORGANIZATION A.B.P. Lever, York University (If applicable)			ONITORING ORGA of Naval Res		
Chemistry Department					
6c. ADDRESS (City, State, and ZIP Code) 4700 Keele St., North York.	, Ontario M3J 1P3		ty, State, and ZIP y Division	Code)	
Canada		800 N. Qi	incy Street		
8a. NAME OF FUNDING/SPONSORING	8b. OFFICE SYMBOL		n, VA 22217		NUMBER
ORGANIZATION	(If applicable)	N00014-84			<u> </u>
8c. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF I	FUNDING NUMBER	RS	
- · · · · · · · · · · · · · · · · · · ·		PROGRAM ELEMENT NO.	PROJECT NO	TASK NO	WORK UNIT
			"		1
	Clifford C.; Lam, H	erman; Nevin	, W.Andrew;		
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, P. 13a TYPE OF REPORT	Clifford C.; Lam, H	erman; Nevin	ORT (Year Month	Day) 15 PAG 13	E COUNT
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, P. 13a TYPE OF REPORT Technical FROM	Clifford C.; Lam, H avel; Lever, Alfred	erman; Nevin B.P.	ORT (Year Month	Day) 15 PAG 13	E COUNT
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, Political Technical 16 SUPPLEMENTARY NOTATION	Clifford C.; Lam, H avel; Lever, Alfred	erman; Nevin B.P. 14 DATE OF REPO Jume 198	ORT (Year, Month, 7	13	
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, Pe 13a TYPE OF REPORT Technical 16 SUPPLEMENTARY NOTATION	Clifford C.; Lam, Havel; Lever, Alfred IME COVERED M_Aug/86_TO Aug/87 IN 103.ECT TERMS	erman; Nevin B.P. 14 DATE OF REPO Jume 198 (Continue on revers	ORT (Year, Month, The spectra.	d identify by bl	ock number) nemistry.
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, P. 13a TYPE OF REPORT Technical 16 SUPPLEMENTARY NOTATION 17 COSATI CODES	Clifford C.; Lam, Havel; Lever, Alfred IME COVERED M Aug/86 TO Aug/87 Phthalocyan Spectroelect	Continue on reversine, electrochemistry	ORT (Year, Month, The spectra.	d identify by bl	ock number) nemistry.
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, P. 13a TYPE OF REPORT Technical 13b TI FROM 16 SUPPLEMENTARY NOTATION 17 COSATI CODES FIELD GROUP SUB-GROU	Clifford C.; Lam, Havel; Lever, Alfred IME COVERED M_Aug/86_ TO Aug/87 Phthalocyan spectroelect Phthalocyan covanines linked by phthalene nucleus. The and cobalt derivative and cobalt derivative.	(Continue on reversitine, electrochemistry ine, electrochemistry in electrochemistry in electrochemistry in electrochemistry in var	e if necessary and nic spectra, mixed vale bridge are ical and uv/	d identify by blee electrochence specie described,	ock number) nemistry, es; cofacial utilising nta are
12 FERSONAL AUTHOR(S) Leznoff, Kobayashi, Nagao; Janda, P. 13a TYPE OF REPORT Technical 16 SUPPLEMENTARY NOTATION 17 COSATI CODES FIELD GROUP SUB-GROU 19 ABSTRACT (Continue on reverse if necessity) Cofacial binuclear phthalo the 1,8-position of the na reported for the metal-free	Clifford C.; Lam, Havel; Lever, Alfred IME COVERED M_Aug/86_ TO Aug/87 Phthalocyan Phthalocyan Pessary and identify by block Coyanines linked by Aphthalene nucleus. The and cobalt derivate The discussed.	(Continue on reversing, electrochemistry ine, electrochemistry in var	e if necessary and nic spectra, mixed vale bridge are ical and uv/	didentify by bit electrochence specie described, vis/nmr dation states.	ock number) nemistry, es; cofacial utilising nta are Mixed

U DISTRACTION AVAILABILITY OF ABSTRACT		LI ABSTRACT NECERTY CLASSIFICAT	·ON
🖾 JACLASS FIEDHUNLIMITED - 🔲 SAME AS RET	TOTAL SERS	Unclassified/unlimi	ted
223 NAME OF RESPONSIBLE NOIVIDUAL		LID TELEPHONE (Include Area Code)	22C OFFICE SYMBOL
Dr. Robert K. Grasselli			

01/1113/87/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No.		No.
	Copies		Copies
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 1911	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

INTERPORTATION OF THE PROPERTY OF THE PROPERTY

Dr. Manfred Breiter Institut fur Technische Elektrochemie Technischen Universitat Wien 9 Getreidemarkt, 1160 Wien AUSTRIA

Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. R. Sutula The Electrochemistry Branch Naval Surface Weapons Center Silver Spring, Maryland 20910

Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125

Dr. J. Auborn
AT&T Bell Laboratories
500 Mountain Avenue
Murray Hill, New Jersey 07974

Dr. M. S. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139

Dr. B. Stanley Pons
Department of Chemistry
University of Utah
Salt Lake City, Utah 84112

Or. Bernard Spielvogel
U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709

Dr. Mel Miles Code 3852 Naval Weapons Center China Lake, California 93555

Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063

Dr. Roger Belt Litton Industries Inc. Airtron Division Morris Plains. NJ 07950

Dr. Ulrich Stimming
Department of Chemical Engineering
Columbia University
New York, NY 10027

Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. Michael J. Weaver Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Laboratories, Inc. Norwood, Massachusetts 02062

Dr. Edward M. Eyring Department of Chemistry University of Utah Salt Lake City, UT 84112

Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Nathan Lewis Department of Chemistry Stanford University Stanford, California 94305

Dr. Hector D. Abruna Department of Chemistry Cornell University Ithaca, New York 14853

Dr. A. B. P. Lever Chemistry Department York University Downsview, Ontario M3J 1P3

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5H UNITED KINGDOM

Dr. John Wilkes
Department of the Air Force
United States Air Force Academy
Colorado Springs, Colorado 80840-6528

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. A. J. Bard Department of Chemistry University of Texas Austin, Texas 78712

Dr. Steven Greenbaum Department of Physics and Astronomy Hunter College 695 Park Avenue New York, New York 10021

Dr. Donald Sandstrom Boeing Aerospace Co. P.O. Box 3999 Seattle, Washington 98124

The state of the s

Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840

Dr. D. Rolison Naval Research Laboratory Code 6171 Washington, D.C. 20375-5000

Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201 Dr. Alan Bewick Department of Chemistry The University of Southampton Southampton, SO9 5NH UNITED KINGDOM

Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Energy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. Richard Pollard Department of Chemical Engineering University of Houston Houston, Texas 77004

Dr. M. Philpott IBM Research Division Mail Stop K 33/801 San Jose, California 95130-6099

Dr. Martha Greenblatt Department of Chemistry, P.O. Box 939 Rutgers University Piscataway, New Jersey 08855-0939

Or. Anthony Sammells Eltron Research Inc. 4260 Westbrook Drive, Suite 111 Aurora, Illinois 60505

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis Polymers Division National Bureau of Standards Gaithersburg, Maryland 20899

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 633, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

Dr. John Fontanella Department of Physics U.S. Naval Academy Annapolis, Maryland 21402-5062

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum
Department of Physics
University of Puerto Rico
Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Joel Harris Department of Chemistry University of Utah Salt Lake City, Utah 84112

Dr. J. O. Thomas University of Uppsala Institute of Chemistry Box 531 Baltimore, Maryland 21218 S-751 21 Uppsala, Sweden

Dr. John Owen
Department of Chemistry and
Applied Chemistry
University of Salford
Salford M5 4WT UNITED KINGDOM

Dr. O. Stafsudd Department of Electrical Engineering University of California Los Angeles, California 90024

Dr. Boone Owens
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. Johann A. Joebstl USA Mobility Equipment R&D Command DRDME-EC Fort Belvoir, Virginia 22060

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy
Department of Physics
University of Utah
Salt Lake City, Utah 84112

Dr. Charles Martin Department of Chemistry Texas A&M University College Station, Texas 77843

Dr. Milos Novotny Department of Chemistry Indiana University Bloomington, Indiana 47405

Dr. Mark A. McHugh Department of Chemical Engineering The Johns Hopkins University Baltimore, Maryland 21218 Dr. D. E. Irish
Department of Chemistry
University of Waterloo
Waterloo, Ontario, Canada
N21 3G1

Dr. Henry S. White
Department of Chemical Engineering
and Materials Science
151 Amundson Hall
421 Washington Avenue, S.E.
Minneapolis, Minnesota 55455

Dr. Daniel A. Buttry Department of Chemistry University of Wyoming Laramie, Wyoming 82071

Dr. W. R. Fawcett Department of Chemistry University of California Davis, California 95616

Dr. Peter M. Blonsky Eveready Battery Company, Inc. 25225 Detroit Road, P.O. Box 45035 Westlake, Ohio 44145

Dr. M. A. El-Sayed Department of Chemistry University of California Los Angeles, California 90024

Dr. E. R. Bernstein
Department of Chemistry
Colorado State University
Fort Collins, Colorado 80521

Dr. J. R. MacDonald Chemistry Division Naval Research Laboratory Code 6110 Washington, D.C. 20375-5000

Dr. G. B. Schuster Chemistry Department University of Illinois Urbana, Illinois 61801

Dr. J. B. Halpern Department of Chemistry Howard University Washington, D.C. 20059

Or. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. W. E. Moerner I.B.M. Corporation Almaden Research Center 650 Harry Rd. San Jose, California 95120-6099

Dr. A. B. P. Lever
Department of Chemistry
York University
Downsview, Ontario
CANADA M3J1P3

Dr. George E. Walrafen Department of Chemistry Howard University Washington, D.C. 20059

Jr. Joe Brandelik AFWAL/AADO-1 Wright Patterson AFB Fairborn, Ohio 45433 Dr. Carmen Ortiz Consejo Superior de Investigaciones Cientificas Serrano 121 Madrid 6, SPAIN

Dr. Kent R. Wilson Chemistry Department University of California La Jolla, California 92093

Dr. G. A. Crosby Chemistry Department Washington State University Pullman, Washington 99164

Dr. Theodore Pavlopoulos NOSC Code 521 San Diego, California 91232

Dr. John Cooper Code 6173 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. Joseph H. Boyer Department of Chemistry University of New Orleans New Orleans, Louisiana 70148

Dr. Harry D. Gafney Department of Chemistry Queens College of CUNY Flushing, New York 11367-0904



Accesion For	
NTIS CRASI DTIC TAB Unannounced Justication	000
By Details best	
r ·	i ricis (C
A	

1,8-Naphthalene Linked Cofacial Binuclear Phthalocyanines*

By Prof.Clifford C.Leznoff, Herman Lam, Dr.W. Andrew Nevin, Prof. Nagao Kobayashi,[+] Dr.Pavel Janda[++] and Prof.A.B.P.Lever

Dept. of Chemistry
York University
4700 Keele St.,
North York (Toronto), Ont.,
Canada M3J 1P3

- [+] Visiting Professor from the Pharmaceutical Institute, Tohoku University, Japan.
- [++] Visiting research associate from the Heyrovsky Institute of the Czech Academy of Sciences, Prague, Czechoslovakia.

[#] This work was supported by grants from the Natural Sciences and Engineering Research Council (Ottawa) and the Office of Naval Research (Washington). It was also partially funded by the Midwest Center for Mass Spectroscopy, of the National Science Foundation Regional Instrumentation Facility (Grant No. CHE 8211164).

Binuclear phthalocyanines covalently linked by 5[1,2], 4[3], 2[3], 1[4] and -1[5] atom bridges have been recently described. We now report new cofacial binuclear phthalocyanines <u>la-d</u> linked by a 3 atom bridge on a rigid naphthalene framework. These compounds complement 1,8-anthracene bridged porphines[8,7], and provide entry to a new class of pillared phthalocyanines. They should prove of value in the photo- or electroactivation of small molecules, such as di-oxygen, carbon or sulphur dioxide.

Treatment of 4-iodophthalonitrile (2) (4.0g,16mmo1) and 1,8-diiodonaphthalene (3) (2.0g, 5.3mmol) in a mixed coupling reaction, in the presence of elementary nickel powder under conditions described for homocoupling reactions[8,8] led to 1,8-bis(3,4-dicyanophenyl)naphthalene (4) (310mg, 15.5% yield) as a mixture of syn and anti isomers due to restricted rotation about the 1,8-positions of the naphthalene nucleus (Scheme I). Conversion of 4 (380mg, 1mmol) into its isoindoline 5 and a mixed condensation of 5 with the isoindoline <u>6</u> prepared from 4-neopentoxyphthalonitrile (6.0g, 28mmol) gave, following standard reaction conditions and chromatography[1-5] the desired 1,8-bis-2'-(9',16',23'-trineopentoxyphthalocyaninyl)naphthalene (1a) in 15.5% yield. The di-cobalt, di-copper and di-zinc derivatives (1b-d) of 1a were prepared by refluxing 1a with CoCl2, Cu(OAc)2 and Zn(OAc)2 respectively, as previously described.[1-5]

Scheme I Synthesis of 1,8-bis-2'-(9',16',23'-trineopentoxyphthalocaninyl)naphthalene 1a

The species <u>la-d</u> and <u>4</u> have been fully characterised.[10] The fast atom bombardment[11] (FAB) mass spectra of all the binuclear phthalocyanines <u>la-d</u> were most informative exhibiting parent ions as the base

potential

peak in the high mass region above 500 AMU. Furthermore no evidence of partially or half-metallated derivatives of <u>1b-d</u> were detected in their mass spectra. The ¹H nmr of <u>1a</u> exhibited the upfield shifted NH protons which were absent in the zinc derivative <u>1d</u>.

Electrochemical and spectroelectrochemical results show that the rigid geometry of the naphthalene bridge induces important changes in the cofacial dicobalt derivative 1b, compared with previously studied mononuclear and "clamshell" binuclear cobalt phthalocyanines.[1-4,12] The halves of the molecule of 1b do not oxidise and reduce at the same potential, resulting in clear splitting of the redox couples.

Cyclic and differential pulse voltammetry of 1b in o-dichlorobenzene (DCB) with 0.2 M tetrabutylammonium perchlorate as supporting electrolyte revealed a series of three oxidation and four reduction waves with halfwave potentials of +0.53, +0.14, 0.00, -0.90, -1.29, -1.68, and -2.08 V vs Fc+/Fc.[13,14] Comparison with the cyclic voltammogram of the mononuclear parent compound, CoTNPc, (E1/2 = +0.59, +0.03, -0.91, and -2.07 V in DCB[12]) indicates splitting of the first oxidation (L+/L), and first reduction (Co¹¹/Co¹) couples by 140 and 390 mV, respectively. This is the first example of clearly observed splitting of the redox waves in a ring bridged binuclear metal phthalocyanine and indicates a high degree of coupling between the halves of the molecule. Mixed valence L+/L and Co(II)/Co(I) species are thus potentially available.

In contrast to <u>1b</u>, the splitting of the corresponding redox couple in the case of a so-called (-1) binuclear derivative (two phthalocyanine rings sharing a common benzene ring)[5] was less than 100mV (shoulder) in the mixed valence Co^[1]-Co^[1] species. The reduction couples at -0.90 and -1.29 V were investigated by controlled

electrolysis in an optically transparent thin layer electrode (OTTLE) cell utilising a gold minigrid or platinum mesh working electrode. Stepwise reduction across each of the couples in turn gives the spectroscopic changes shown in Fig.1. Reduction over the first wave gives a green solution, with isosbestic points occurring at 322, 348, 545, 642, 664 and 760 nm (Fig.1(a)). The spectrum is unlike any seen previously for a reduced cobalt phthalocyanine, having a Q band at 650 nm. It does however exhibit a new absorption band in the region of 450-470 nm associated with metal-to-ligand charge transfer (MLCT) in the transition $Co^{I}Pc[d(xz,yz)] - \pi*(1biu)Pc$ of a $Co^{I}Pc$ species, [12,15,16] as well as a blue shift and increase in intensity of the Soret band.

The second reduction (Fig.1(b)) gives a yellow solution, with isosbestics at 332, 395, 566, 678 and 758 nm. The final spectrum is very similar to that of the mononuclear Co^I TNPc species, [12] indicating that both cobalt atoms have been reduced to Co^I. The spectra are fully reversible by stepwise oxidation to the initial species.

Nernstian plots of the spectroelectrochemical data over each of the reductions give slopes approaching 59 mV, showing that each step involves a one-electron transfer. Thus the product of the reduction at -0.90 V must be a mixed valence species 1s, of mainly [Coli-Col] character. The intensity of the MLCT band is only 35% of that of the fully reduced [Col-Col] species, 1f spectrum, so that some delocalisation of the added electron over the phthalocyanine ring system may be occurring. The presence of the well resolved Q band at 650 nm, rather than ca. 710nm, may also indicate extensive delocalisation throughout the molecule. A weak absorption occurs in 1e, in the region of 800-900 nm (Fig. 1), absent from the spectra of both 1b and 1f and which may be an intervalence band.

The Q band region of the spectrum of 1e mixed valence species is very

different from that observed for the (-1) bridged mixed valence [Coll-Col] compound,[5] which has a split Q band at 700 and 760 nm.

Neither of the species 1b or 1f exhibit esr absorption in DCB. Species 1e, however, exhibits typical low spin $(dz2)^1$ Co(II) esr absorption when 2-methylimidazole is added to the solution. The spectrum (g = 2.25) is very similar to that observed for the mixed valence Co(II)/Co(III) species of a cofacial dicobalt porphyrin[17] Co2FTF4, in the presence of N-methylimidazole.

In comparing these data with those for the corresponding cofacial binuclear dicobalt porphyrins[17-20] note that the latter also show splitting of the Co^{II}/Co^I couple by up to 290 mV; however, unlike the phthalocyanines, no distinct changes in the electronic spectra were observed for the mixed valence species.[18]

Electrocatalytic reduction of oxygen was examined at electrodes (glassy carbon and ordinary pyrolytic graphite) covered with adsorbed 1b. Oxygen reduction occurred at -0.34 V vs SCE in cyclic voltammetric curves through pH 1 to pH 13, and the limiting current corresponding to two electron reduction of oxygen to hydrogen peroxide was observed in rotating disc experiments. Logarithmic analysis of the wave yielded a Tafel plot of -120 mV/decade, which corresponds to a charge-transfer coefficient of 0.5 and a one-electron transfer rate-determining step.

POPOSON BOSONOS NOSONOS ESSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ESOSOSOS ES

Figure 1. Development of the electronic spectra with time, showing the formation in DCB solution, of (a) the mixed valence [Co^I I - Co^I], <u>1e</u>, and (b) the doubly reduced [Co^I - Co^I], <u>1f</u> obtained by reduction of <u>1b</u> at potentials between -0.9 and -1.2V, and -1.3 and -1.6V vs Fc⁺/Fc, respectively.

 $[1b] = 1 \times 10^{-4}M$, [TBAP] = 0.3M.

References

- [1] C. C. Leznoff, S. Greenberg, S. M. Marcuccio, P. C. Minor, P. Seymour, A. B. P. Lever and K. B. Tomer <u>Inorg.Chim.Acta</u> 89 (1984) L35.
- [2] C. C. Leznoff, S. M. Marcuccio, S. Greenberg, A. B. P. Lever, K. B. Tomer Can. J. Chem. 63 (1985) 623.
- [3] C. C. Leznoff, S. M. Marcuccio, P. I. Svirskaya, S. Greenberg, A. B. P. Lever, K. B. Tomer Can. J. Chem. 63 (1985) 3057.
- [4] S. Greenberg, S. M. Marcuccio, C. C. Leznoff, K. B. Tomer <u>Synthesis</u> (1986) 406.
- [5] C. C. Leznoff, H. Lam, S. M. Marcuccio, W. A. Nevin, P. Janda, N. Kobayashi, A. B. P. Lever, <u>J. Chem. Soc Chem. commun.</u> (1987) 699.
- [6] C. K. Chang, H. Y. Liu, I. Abdalmuhdi J.Am. Chem. Soc. 106 (1984) 2725.
- [7] C. K. Chang, I. Abdalmuhdi J.Org.Chem. 48 (1983) 5388.
- [8] P. O. House, D. Kreopsell, W. Campbell, J.Org.Chem. 37 (1972) 1003.
- [9] H. Matsumoto, S. Inaba, R. Rieka J. Org. Chem. 48 (1983) 840.
- [10] The new compounds 4 and 1a-d were completely characterised by the following physical and spectroscopic data. 4: m.p. 285 °C; MS (EI): m/z 380(100%,M), 253(M-C₈H₃N₂); ¹H-nmr (300 MHz, DMSO-d₆); complex absorptions from 6 = 7.3 8.5 analysed as a 1:1 mixture of syn and anti isomers; ir (KBr): y = 3060, 2240 (CN), 1600, 1490, 835, 780 cm⁻¹; uv/vis (CH₂Cl₂): \(\lambda\) max = 238 (\(\varepsilon\) = 21 900), 265 sh (\(\varepsilon\) = 17 000), 340 (\(\varepsilon\) = 11 000) nm, correct elemental analysis (C,H,N). 1a: MS(FAB): m/z 1670 (100%, M⁺, molecular ion cluster); ¹H nmr (300 MHz, CDCl₃): \(\varepsilon\) = -6.9, -6.1, -5.5 (br.wk.NH), 1.0-1.6 (br., 36H CH₃), 3.3-3.8 (br., 8H, OCH₂), 7.0 8.5 (br., aromatic); ir(KBr): \(\varepsilon\) = 3300(NH), 1615, 1245, 1100, 1020 (NH), 750 cm⁻¹;

uv/vis (o-dichlorobenzene): $\lambda_{max} = 340$ ($\epsilon = 79,500$), 648

($\epsilon = 77,600$) nm; correct elemental analysis (C,H,N). - $\frac{1}{10}$: MS(FAB) m/z 1784 (100%, M+1, molecular fon cluster); ir(KBr): $\nu = 2950$,
1610, 1100, 740 cm⁻¹; uv/vis (o-dichlorobenzene): $\lambda_{max} = 306$ (ϵ = 141 000), 638(ϵ = 123 000), 674(ϵ = 102 000) nm. - $\frac{1}{10}$:

MS(FAB): m/z 1793.6(100%, M+1, molecular fon cluster); ir(KBr): ν = 2950, 1610, 1100, 740 cm⁻¹; uv/vis (o-dichlorobenzene): $\lambda_{max} = 300$ (ϵ =63,100), 338 (102 000), 640(ϵ = 95 500), 686(ϵ = 93 300),


- $\frac{1}{10}$: MS(FAB): m/z 1797.6 (100%, M+1, molecular fon cluster); $\lambda_{max} = 300$ ($\lambda_{max} = 300$), $\lambda_{max} = 30$


- [11] M. Barber, R. S. Bordoli, R. D. Sedgwick, A. N. Tyler, <u>J.Chem.Soc</u> Chem.Commun. (1981) 325.
- [12] W. A. Nevin, M. R. Hempstead, W. Liu, C. C. Leznoff, A. B. P. Lever Inorg. Chem. 26 (1987) 570.
- [13] R. R. Gagne, C. A. Koval, D. C. Lisensky <u>Inorg. Chem.</u> 19 (1980) 2854.
- [14] G. Gritzner, J. Kuta, <u>Electrochim. Acta</u> 29 (1984) 869.
- [15] M. J. Stillman, A. J. Thompson, <u>J. Chem. Soc., Faraday Trans. 2</u>, <u>70</u> (1974) 790
- [16] P. C. Minor, M. Gouterman, A. B. P. Lever, <u>Inorg. Chem.</u> 24 (1985) 1890.
- [17] Y. Le Mest, M. L'Her, J. Courtot-Coupez, J. P. Collman, E.R. Evitt,
 C.S. Bencosme J. Electroanal. Chem. 184 (1985) 331.
- [18] R. R. Durand Jr., C. S. Bencosme, J. P. Collman, F. C. Anson <u>J.Am.Chem.Soc.</u> 105 (1983) 2710.
- [19] J. P. Collman, M. Marrocco, C. M. Elliott, M. L'Her, <u>J. Electroanal.</u>

 <u>Chem.</u> 124 (1981) 113.
- [20] J. P. Collman, F. C. Anson, S. Bencosme, A. Chong, T. Collins, P.

COCCOPY SECURIOR DESCRIPTION OFFICERS SECURIOR SECURIORS SECURIOR SECUR

Denisevich, E. Evitt, T. Geiger, J. A. Ibers, G. Jameson, Y. Konai, K. Meier, P. Oakley, R. B. Pettman, E. Schmittov, J. Sessler in B.M. Trost, C.R. Hutchinson, (Eds.) Organic Synthesis Today and Tomorrow, Pergamon Press, Oxford 1981.





10 R = CH₂C(CH₃)₃ M¹ = M || H₂ H₂

c R = CH₂C(CH₃)₃ M¹ = M || C₂||


d R = CH₂C(CH₃)₃ M¹ = M || Z₃||


e R = CH₂C(CH₃)₃ M¹ = M || E₃||

f R = CH₂C(CH₃)₃ M¹ = M || C₃|||

f R = CH₂C(CH₃)₃ M¹ = M || C₃ || C₃||

scheme I





Contract Co.

COLLEGE

THE SECTION OF THE PROPERTY OF

CALL CASE AND CALL CONTRACTOR OF THE CASE OF THE CASE